## From Long Ago

2

Submitted by: Ray Evans
3400 Capri Drive
Louisville, KY 40218
Tay 2400 Capri Drive
Louisville, KY 40218
Tray 2400 Capri Drive
Louisville, KY 40218
Tray 2400 Capri Drive
Tray 2400 Capri Drive
Tray 2400 Capri Drive
Tray 2400 Capri Capri
Tray 2400 Capri
Tra

Classified Deadline is Noon Tuesday



- Mr. and Mrs. Chas. Whitehead, of Norfolk, Va., will arrive in a few days to visit his parenta, Mr. and Mrs. W. N. Whitehead. - A. Pennington was up from Livingston Monday and said that it was his intention to move back to Mt Vermon about Dec. 1st. - E. B. Brown has quirterailroading and the Brown has quirterailroading and the the control of the control of the control of the the control of the control of the control of the the control of the control of the control of the the control of the control of the control of the the control of the control of the control of the control of the the control of the control of the control of the control of the the control of the control

brown has quiteraliroscaing and winity the livery business again. He is now located in his home on the correct of Spring Street and Old Main.

There were about twenty-seven from the correct of Spring Street and Old Main.

There were about twenty-seven from the correct of Spring Street and Old Main.

The correct of Spring Street and Old Main.

The correct of Spring Street and Old Main.

The Correct of Spring Street and Street of Spring Street on Leading Amendation of Spring Street on Leading Amendation of Spring Street on Leading Amendation of Spring Street on Leading Spring Street on Leading Spring Street on Leading Spring S

Burnside, of the Lancaster Record office, was kind enough to come to our assistance this week. We certainly appreciate it.

LOCAL NEWS
John Hysinger has bought the resturant in the basement of the old brick. Agent J. A Landrum is taking a week for vacation. Com Brown John Hysinger has bought the resturant in the basement of the old brick. Agent J. A Landrum is taking a week for vacation. Com Brown John Hysinger has been dear. Conway Just week was a most successful meeting. The Association which convened mear Conway Just week was a most successful meeting. The Association will meet at Brodhead next year. Charlie Cooper is now on trial at Pineville Charged with murder. Atty. C. C. Williams, for the defense, has been in Pineville since Sunday in charge of the case. - Henry Hinzman been in Pineville since Sunday in charge of the case. - Henry Hinzman has purchased the property of William Armold on Adams Street. Mr. Hinzman moved in Monday. We had not learned what Mr. Armold expects to do. - Mt Vernon has done more improving this year than any town we have to do. Hybrid the property of Williams and the property of Williams Armold spects of the county died at his home near more than the property of the property of the county died at his home near market property of the property of the county died at his home near market property of the property of the county died at his home near market property of the property of the county died at his home near market property of the property of the county died at his home near market property of the county died at his home near market property of the county died at his home near market property of the county died at his home near market property of the county died at his home near market property of the county died at his home near market property of the county died at his home near market property of the county died at his home near market property of the county died at his home near market pro

disturbed will jump at the intruder and seare him almost into fits. Bum stays housed most of the day out when eardie bugs begin to fly. SUITON — McCleXIEI It came as a surprise when the new was here as a surprise when the new was here as a surprise when the new was here as a surprise when the new was the surprise when the new was here as a surprise when the new was here was a surprise w

daughter, Miss Louisa have returned from Indiana - News is as scarce as hen's teeth this week.

PONGO NEWS

The farmers are very busy in this holding a series of meetings at Walnut Grove - Alee Mink has returned from Illinois, but says he expect to go back soon - Miss Angline Renner was thrown from a horse and received a broken arm. - Mr. Ingrinn Renner who is suffering from dropsy is improving.

## Rockcastle Water Association Quality Water Report

This report is to inform you about the excellent water and services that we deliver each view to the content and is provide you with a safe and dependable supply of drinking water. We are committed to ensuring the quality of your water remains at the highest level and the price at the lowest level as we need to need of our community of the content of content of content of the content of co

completed. If you have questions about our water system you co-contact Jo Cook at (606) 245-5480. You are also invited attend the regular board meetings held-quarterly the thi Tuesday at 7:00 p.m., at 4406 Camargo Road.

Definitions
This report may contain many terms and abbreviations you might not be familiar with. To help you better understand these terms we are providing the following definitions:

Maximum Contaminant Level (MCL) - the highest level of a

Maximum Contaminant Level (MCL) - the highest level of a contaminant that is allowed in diraking water. MCLs are set as close to the MCLGs as resable using the best available technology.

Maximum Contaminant

tology.

mum Contaminant Level Goal (MCLG) - the level of a minant in drinking water below which there is no known expected risk to health. MCLGs allow for a margin of

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers returned or other requirements which a water system must follow.

Below Detection Levels (BDL) - laboratory analysis indicates that the contaminant is not present.

Treatment Technique (TT) - a required process intended to record the level of a contaminant to driving water.

Reptainment Technique (TT) - a missauer of the charge of water (LT) - and the contaminant is driving water.

reduce the level of a contaminant in drinking water. Nephelometric Thehildly (Intel RVII) — a measure of the of water. Turbidity (in extrusion of S NTU is just noticeable average person. Parts per million (ppm) - one part per million corresponded one minute in voy exar or a single penny in \$10,000. Parts per hillion (pph) - one part per billion corresponded one minute in 2000 years, or a single penny in \$10,000. Piccourieg per liter (pCVL) - a measure of the radioactions of the reduced per liter (pCVL) - a measure of the radioactions.

Drinking water, including bottled water, may be reas expected to contain as least small amounts of contaminants. The presence of contaminants do necessarily indicate that water poses a health risk. information gobots contaminants and potential health can be obtained by calling the EPA Safe Drinking Itoline (800-426-4791).

Holine (100-400-47).

Some people may be more vulorable to contaminant in debiding water than the general population. Immunocompounited possess such as persons with oncer undergoing chemotherapy, persons who have undergone organ transplants, sortly elderly, and infusis can be pintrolarly at risk from infections. These project should reak advice show divining infections. These project should reak advice show divining infections. These project should reak advice show divining on appropriate means to learn the risk of infection by crystopoporidium and other microbial contaminants are available from the Safe Drinking. Water Hotline (800-426-4701).

Notice: We are publishing this Water Quality Report in the Mt. Vernon Signal in place of mailing to each customer. Additional copies are available at our Rockcastle Water Association Office located at Corner of 1787 & 1912 Climax, Kv. 40456 or will be mailed upon request.



The data presented in this report are from the most recent testing done in accordance with administrative regulations in 401 KAR C bagger A. Stadberbed and approach by FPA. the Kentacky Division of Water has reduced monitoring requirements for certain contaminants to be such than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Name of the data in this table, brough representation; may be more than one year old.

	Allowable Levels	Highest Single Measurement	Lowest Monthly %	Violation V/N	Likely Source	
furbidity (NIU) TI	Never more than 5 N111 Less than 0.5 N111 95% of samples each month.	#1-0.28 #2-0.27 #1-0.31	#1=100% #2=100% #3=100%	#1 N #2 N #3 N	Soil runoff	

REGULATED CONTAMINANT TEST RESULTS

Contaminant (code) (units)	MCL.	MCLG	Found	Range,	Date of Sample	Violation Y/N	Likely Source of Contamination
Alpha emitters [4000] (pCi/1)	ię	0.	#2-1.3 #3-0.6	N/A	#2-Scre 1999 1999	#2 N #3 N	Discharge of drilling wastes: discharge from metal refineries: crosion of natural deposits
Harium [1010] (ppm)	. 2	2	#1 -014 #1 0071	N/A	#1 June 2001 #3-Nes 2001	HEN HEN	Discharge of drilling wastes; discharge from metal-refineries; crosson of natural deposits
Copper [1022] (ppm) (2 sites exceeded the AL)	AL. 1.3	13	n 47 1907 percentilei	0 002. 2 0	June - 2001	N.	Corresion of housefield plumbing systems; crosion of natural deposits
Fluoride [1025] (ppm)	•		#1-1.23 *#2=1.3 #3-1.86	#1-0.93. 1.23 #2-0.85- 1.30 #3-0.82- 1.86	#1=Apr 2001 #2=Feb 2001 #3=June -2001	#1-N #2-N #3-N	Enosion of natural deposits; water additive which promotes strong -teeth; discharge from fertilizer a- and aluminum factories
Lead [1030] (ppb) (No site exceeded the AL)	AI. 15	0	46 · (90°	-BDC-15	June 2001	2	Corresion of household plumbing systems; crosion of natural deposits
Nitrate (as Nitrogen) . [1040] (ppm)	10	. 10	#1-0.8 #2-0.31	#1-0.2- 0.8 #2-0.31	#1=Mar 2001 #2=Jan 2001	#I-N #2-N	Runoff from fertilizer use; leaching from septle tanks, sewage; crossion of natypal deposits
[THM [total tribals methanes] (ppb)	100 20*	9	#1=65 #2-81 #3=77 (annual average)	#1=0- 131 #2=26- 144 #3=48- 169	#1-4th Qtr. #2-3 <sup>rd</sup> Qtr. #3-3 <sup>rd</sup> Qtr. 2001	#1-N #2-N #3-N	By-product of drinking water chlorination

#I Represents water treated at Jackson County Water Association and serves Climax, Red Hill and Hwy.
#490 area.
#Z Represents water treated at the City of Mt. Vernon water treatment plant and serves our customers in
the Sand Springs and Highway #1004 area.
#R Represents water furchased from Livingston Water Works, which is treated at Woods Creek and serves
the Sand Hilli Community.
\*Maximum Contaminant Levels (MCL):
\*Maximum Contaminant Levels (MCL):
\*Maximum Contaminants, a person would have to drink 2 liters of water every day at the MCL level for a
lifetime to have a one-in-a-million chance of having the described health effect.
\*Water Quality Violations and Health Effects
\*THMS [Total] Tribalomethanes[The current MCL for total tribalomethanes (THM) is 100 ppb but will
soon change to 80 ppb. Some people who drink water containing tribalomethanes in excess of the MCL
ver many years may experience problems with their liver, kidneys, or central nervous systems, and visty
have an increased risk of getting cancer. The water system has modified the flushing program and is taking
steps to reduce the levels of tribalomethanes in the distribution system.

\*\*During the year 2001. Initial laborators analysis indicated resisting scales for the lower times and the properties of t

During the year 2001, initial laboratory analysis indicated positive results for five bacteriological water samples. However, all five locations tested negative on follow-up samples. The original positive results may have been due to laboratory error or improper sampling technique. Subsequent tests did not indicate a threat to our water quality.

Monitoring and Reporting Violation of water purchased from Jackson Co. Water Associations:
In 2001 they received a monitoring/reporting violation for Radionuclides. Although they were following a monitoring schedule provided by the Keatucky Division of Water, unfortunately, it was incorrect. A sample was collected in March of 2000 and the laboratory results were below the MCL. Corrected measures have been implemented to preven future violations of this type.

We at Rockcastle Water Association work diligently to provide top quality water to every tap. Our water operators are highly trained, tested and certified by the state of Kentucky. We ask that all our customers help us protect our water resources, which are the heart of our community, our way of life and out children's future.

## 3rd Annual

## Headwaters of the Dix River Fish Fry Festival

(This years Theme : Patriotic Pride) Friday, May 31st

Auction

Begining at 7:00 pm Pies, Cakes and much more in the parking lot By Dari Delight Followed by a Live Gospel Band

Saturday, June 1st

Booths and Flea market open

nooths and Flea market open
Horseshoe Tournament at the City Park \$5,00singles, \$10.00 doubles
Horse Basketball Tournament at the Elementary School
Mason Jar Band (Dari Delight parking lot)
Fire Department opens with Fish Sandwiches until 2:00 pm
Care Flight comes in

Pretty Baby contest (Dari Delight parking lot)0 \$10.00 entry Fee 1:00 pm:

Pretty Baby contest (Dan Deignt paring 1010 21000 entry 1000 6000 feed (all businesses and organizations welcome to enter )
Fish Fry Carryouts start (Brodhead Vol. Hre Dept).
Dix River Survivor Contest (pre-selected High School Athletes)
Poker Run \$10.00 Entry Fee (must be 18 or older and have valid drivers license)
Live Band Entertainment Begins

Dine in Fish Fry Begins

Queen Contest Begins candidates introduced(Rock Castle High School students only) 6:00 pm:

Queen Coronation

7:30 - 9:00pm: Assorted Bands playing

9:00 pm to 77 Street Dance



All day events include
"Country Charlie" DJ, city wide Yard sales and Flea market, Live Bands and Entertainment.
For Booth space inlo call (606)758-8635,
rade information call-fathy Lunoclord (606)7
phend on researchis for our accidents or informa-