

Church News

Need a Ride?
Mt. Vernon Nazarene Church now has a van ministry. God has blessed. We invite you to come grow with us. Need a ride? We would love to come and get you. Call 758-0090 for more info.

Free Bible Course
If you would like to receive a free 8 lesson bible correspondence course by mail, send your name and address to: Bible Course, Rt. 4 Box 297, Mt. Vernon, KY 40456.

Mission Hours
First Baptist Church and Clothing Mission's hours are Mon. & Wed. 9 a.m. to 2 p.m. and Sat. 10 a.m. to 2 p.m. The Mission is located on 30 Church St., Mt. Vernon.

Church Services
Rose Hill Baptist Church services are Sunday at 11 a.m. and 7 p.m. and

Thursday at 7 p.m. Prescher is Larry Mink.
Just Add Water For Fun
Hey Kids! Don't miss the adventure of a lifetime from June 10th-14th at the Bible Baptist Church SonCanyon River Adventure! This year's Vacation Bible School will take you down the river for an exciting rafting adventure for all Kindergarten through 5th graders! It's an extreme week of learning survival skills for life through great music, crafts, games, meals each night, Bible stories and more! Plus each child who attends receives a free SonCanyon River Adventure!

SonCanyon River Adventure! takes place the week of June 10th, Monday through Friday, from 7 p.m. to 9:30 p.m. each night. The adventure is completed on Sunday night, June 16th, with a Mini-Mission starring

VBS
Faith Chapel Pentecostal Church will host Vacation Bible School from June 10-14th at 10:30 a.m. to 12:30 p.m. Bug Safari theme.

Revival
Northside Baptist Church will be in Revival June 30th-July 3rd at 7 p.m. nightly. Evangelist Bro. Jackie Wilburn of The Wilburns.

Singing
The Tony Burke family will be singing at the Mt. Vernon Nazarene Church, Fairground Hill, Sunday morning, June 9, at 11:00 a.m. A potluck lunch will follow in the friendship hall of the church. This is family day, bring a covered dish and join us for a good time.

Church Services
River of Faith Ministries, Inc. Pastor Marty White Service Times: Sunday 10:00 a.m. & 6 p.m.

each VBS student, followed by a free cookout for all parents and guests. Please call 308-1837 for a ride or 256-5913 for more info!

VBS
Please come to Vacation Bible School at the Pine Hill Holiness Church for "An Extreme Adventure with Jesus!" June 10-14th at 6:00-8:30 p.m. each night. Call 453-4801 for more details.

Gospel Singing
Lighthouse Baptist Church, located on Gabbardtown Road, Beres, will have a gospel singing on Sat., June 8th at 7 p.m. featuring The Murry Family from Okla., Okla.

Singing
Skaggs Creek United Baptist Church will have a singing Sat., June 8th at 7 p.m. featuring Sounds of Glory. Pastor Bro. Bill Wagers welcomes everyone.

VBS
Faith Chapel Pentecostal Church will host Vacation Bible School from June 10-14th at 10:30 a.m. to 12:30 p.m. Bug Safari theme.

Revival
Northside Baptist Church will be in Revival June 30th-July 3rd at 7 p.m. nightly. Evangelist Bro. Jackie Wilburn of The Wilburns.

Singing
The Tony Burke family will be singing at the Mt. Vernon Nazarene Church, Fairground Hill, Sunday morning, June 9, at 11:00 a.m. A potluck lunch will follow in the friendship hall of the church. This is family day, bring a covered dish and join us for a good time.

Church Services
River of Faith Ministries, Inc. Pastor Marty White Service Times: Sunday 10:00 a.m. & 6 p.m.

Wednesday night 7 p.m.
More info call 256-9299 or 256-0438
(located on Hwy. 100 just past Jean's Restaurant)
riveroffaith.com

"District Court"

(Cont. from B-2)

Robert Jeffrey Steelman: Defective equipment, \$25 fine and costs/suspended fine.
Sammy Stewart: Fines due (\$75.85), found in contempt in absence of parents for 3 or 4 days in jail.

David A. Weir: No Ky. Reg. Plates and other charges, license suspended for failure to appear.

Jeremy P. Workman: Speeding, \$44 and costs; Failure to wear seatbelt, \$25 fine; Expired Temporary Plate, \$25 fine.

Peggy S. Allen: Speeding, state traffic school authorized on payment of costs only.

Samson L. Bailey: Speeding, paid \$34 fine and costs.

Jackie L. Barnett: Defective equipment, paid.
Zachary W.T. Chase: Defective equipment, paid.

Christopher E. Conley: Speeding and Failure to wear seatbelt, license suspended for failure to appear.

Timothy W. Cox: Speeding, state traffic school authorized on payment of costs only.

Ripa A. Eade: Speeding, license suspended for failure to appear.
Christopher S. Fegett: Speeding,

license suspended for failure to appear, paid \$30 fine and costs.

Jason E. Ford: Speeding, state traffic school authorized on payment of costs only.

Ronald F. Goguen: Speeding, paid \$30 fine and costs.

Elizabeth A. Golden: Speeding, state traffic school authorized on payment of costs only.

Elizabeth M. Grise: Speeding, license suspended for failure to appear.

Eyob Hailab: Speeding, license suspended for failure to appear.

James C. Humes: Speeding and Failure to wear seatbelt, paid \$144.50 total fines and costs.

Ashley N. Huseby: Speeding, \$30 fine and costs.

Joanie M. King: Seat belt anchors and other charges, license suspended for failure to appear.

Jerome J. Kuppica: Speeding, paid \$28 fine and costs.

Loretta T. Leach: Speeding, state traffic school authorized on payment of costs only.

Karen M. Mason: Speeding, state traffic school authorized on payment of costs only.

Eddie J. Maze: Speeding, paid \$24 fine and costs.

Ernest H. Miller: Speeding, state traffic school authorized on payment of costs only.

Catherine I. Napier: Speeding, license suspended for failure to appear.

Carnell M. O Neal: Defective equipment, \$25 fine and costs/fine suspended.

Su Jung Park: Speeding, license suspended for failure to appear.

Terry M. Roberts: Speeding, \$16 fine and costs/fine suspended.

Michelle L. Rowland: Speeding, state traffic school authorized on payment of costs only.

Bradlee R. Warren: Speeding, paid \$30 fine and costs.

Tommy White: Speeding, license suspended for failure to appear.

Telena F. Wilson: Speeding, paid.

Debra S. Yocum: Failure to wear seatbelt, \$25 fine and costs.

Vernon K. Anderson: Comb. Unit 65 Ft. Designated Hwy. and Overweight, paid \$70.85 total.

Margie K. Casteel: Operating motor vehicle under influence alcohol/drugs, \$200 and costs, \$200 service fee, \$10 VCF, 30 day operator license suspension; Criminal Possession of Forged Instrument, 60 days in jail to serve 30 balance conditionally discharged one year.

David W. Mahaffey: No license in possession, \$50 fine and costs.

Kenneth B. Miller: Theft by unlawful taking, 60 days in jail to serve 15 on weekends/balance conditionally discharged 2 years.

Michael D. Richmond: Carrying/Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Concealed Weapon, 120 days to serve 60 balance conditionally discharged 2 years; Resisting Arrest, 120 days to serve 60/concurrent/balance conditionally discharged 2 years.

Vacation Bible School

June 10-14 • 6:30 - 8:30

Mareburg Baptist Church

"Amazon Outfitters"

On Expedition With the One True God

Classes for All Ages

For Transportation, Call 256-5278 or 758-8348

ANNUAL DRINKING WATER QUALITY REPORT

THE WATER WE DRINK

BRODHEAD WATER WORKS

The Brodhead Water Works and The Brodhead Council are proud to present to you our annual water report. This report will be provided to you each year. This is designed to inform you about our water and services we delivered to you every day of the past year. Our everyday goal is to provide you with a safe and dependable supply of drinking water. We continually try to improve our process and protect our water resources. Every water utility is dedicated to ensuring the quality of water that we provide to you and your family.

The Brodhead Water Works purchases water from the City of Mt. Vernon Water Works, which is treated surface water from Lake Linville, located at Linville Valley. Mt. Vernon Water Works and Brodhead Water Works routinely monitors for contaminants in your drinking water according to State and Federal laws. The table enclosed shows the results of our monitoring for the period of January 1st through December 31, 2001.

Sources of drinking water (both tap and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases radioactive material, and can pick up substances resulting from the presence of animal or human activity. Contaminants that may be present in source water include microbial contaminants, inorganic contaminants, pesticides and herbicides, organic chemical contaminants, and radioactive contaminants. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems.

The final source water assessment plan has not been completed, but, is scheduled to be completed by May 2003. A summary of the system's susceptibility to potential sources of contaminants will be included in the plan and will be available for inspection at City Hall and the Cumberland Valley Area Office in London, Kentucky.

If you have any questions about this report or concerning your water utility, please contact Carlos Caldwell at 606-758-9866, or Rebecca Bussell at 606-758-8633, between the hours of 9:00 a.m. and 5:00 p.m. Monday through Friday. We will be available to you a copy of our water report in its entirety upon request. This is available at City Hall, located at 7 West Main Street in Brodhead. Each person is evaluated customer and we want you to be informed about our water utility. If you want to learn more you may also attend one of our regular meetings. Regular meetings are held on the second Monday night each month, at City Hall located at 7 West Main Street, Brodhead, Kentucky.

DEFINITIONS
This report may contain terms and abbreviations you might not be familiar with. To help you understand these terms, we are providing the following definitions:

Maximum Contaminant Level (MCL) - the level of a contaminant in drink water below which there is no known or expected risk to health. MCLs allow for a margin of safety.

Maximum Contaminant Level (MCL) - the highest level of contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available technology.

Relief Detection Levels (BDL) - laboratory analysis indicates that the constituent is not present.

Microbial Fibers per liter (MF/L) - a measure of the presence of asbestos fibers that are longer than 10 micrometers.

Parts per million (PPM) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Action Level (AL) - the concentration of a contaminant, which, if exceeded, triggers treatment or other requirements which a water system must follow.

Nephelometric Turbidity Unit (NTU) - a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

Parts per billion (PPB) - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Treatment Technique (TT) - a treatment technique is a required intent to reduce the level of contaminant in drinking water.

PicoCurie per liter (pCi/L) - a measure of the radioactivity of water.

All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these contaminants does not necessarily pose a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA Safe Drinking Water Hotline (800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immune-compromised persons, such as persons with cancer, undergoing organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CD guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Water Hotline (800-526-4791).

Maximum Contaminant Level (MCL)
MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Most water systems in Kentucky must test for the contaminants listed below. Some water systems are not required to conduct all of these tests. Some test are not required every year. Only those contaminants that were detected are included in the test results table. For a complete listing of the tests actually conducted you may contact the water system office.

Turbidity	Synthetic Organic Compounds	Volatiles Organic Compounds	Unregulated
Microbiological Contaminants:	2,4-D	Benzene	Aldehydes
Total Coliform	2,4,5-T (Silvex)	Carbon tetrachloride	Bromochloroethane
	Acrylamide		Bromochloroethane

This report is being published in the local newspaper and will not be mailed to customers unless requested. If you would like a copy of our plan please contact City Hall.

The data presented in this report are from the most recent testing done in accordance with administrative regulations in 401 KAR. Chapter. As authorized and approved by EPA, the State has reduced monitoring requirements for certain contaminants less than once per year because the concentration of these contaminants are not expected to vary significantly from year to year. Some of the data in this table, through representative, may be more than one year old.

Allowable Levels		Highest Single Measurement		Lowest Monthly %		Violations Y/N		Likely Source		
Turbidity (NTU) TT	Never more than 5 NTU Less than 0.5 NTU 95% of samples each month		0.77		100%		N		Soil Runoff	
REGULATED CONTAMINANT TEST RESULTS										
Contaminant (c) (a) (a)	MCL	MCLG	Level Found	Range	Date of Sample	Violations Y/N	Likely Source of Contamination			
Total Coliform Bacteria (100) (Q) (a) (a)	0	0	0	N/A	9-5-01	N	Naturally present in the environment			
Alpha amylase (100) (Q) (a) (a)	15	0	1.3	BDL-1.3	9-13-99	N	Reversion of natural deposits			
Asbestos (MPL)	7	7	0.195	BDL	7-31-95	N	Decay of asbestos cement watermain erosion of natural deposits			
Copper (100) (ppm)	AL 1.3	1.3	0.11 (ppm)	0 (less than the AL) BDL-45	7-25-01	N	Corrosion of brass ball plumbing system erosion of natural deposits			
Fluoride (100) (ppm)	4	4	1.3	0.85-1.3	2-12-01	N	Reversion of natural deposits Water addition with Potassium Permanganate discharge from effluent and Aluminate facilities			
Lead (100) (ppm)	AL 15	0	0 (ppm)	0 (less than the AL) BDL-1	7-25-01	N	Corrosion of household plumbing system erosion of natural deposits			
Nitrate (as Nitrogen)	10	10	0.31	BDL-0.31	1-9-01	N	Runoff from fertilizer use, Leachate from landfills, Sewage effluent discharges			
THM (Total trihalomethanes) (ppb)	100	80	0.11 (actual average)	20-144	3 rd Quarter 2001	N	By-product of drinking water chlorination			

UNREGULATED CONTAMINANTS TEST RESULTS

Contaminant (c) (a) (a) (a)	Unit	Average	Range
Bromochloroethane (BCE) (MCL)	ppb	67.5	4.5-64
Chloroform (MCL)	ppb	57.3	27-65
Dibromochloroethane (DBCE) (MCL)	ppb	0.35	BDL-0.5
Dibromochloroethane (DBCE) (MCL)	ppb	0.7	BDL-0.7

Unregulated contaminants are those for which EPA has not established drinking water standards. There are no MCLs and therefore no violation if found. The presence of unregulated contaminants in water is EPA is monitoring the occurrence of unregulated contaminants in drinking water and whether future regulation is warranted.

*The current MCL for total trihalomethanes (TTM) in 100 ppb but will not come into effect in 2003. Although the TTM level in our water is below the current MCL, it has been detected above the MCL and we are including the following health effects language.

Some people who drink water containing trihalomethanes in excess of the MCL may over many years experience problems with their liver, kidneys, or central nervous system, and may have an increased risk of getting cancer.